## Compatibility chart SONY SU-WL900

## 2023 TV models

Model Name	Series Name	Inches	SU-WL900	VESA hole pitch/Screw hole size (W x H) mm	Length of power cord (mains	Weight of TV without Stand
			_		lead)	
XR-77A95L	A95L Series	77	✓	300 x 300	3.5 m	35.2 kg
XR-65A95L	A95L Series	65	$\checkmark$	300 x 300	3.5 m	23.4 kg
XR-55A95L	A95L Series	55	$\checkmark$	300 x 300	1.5 m	17.6 kg
XR-83A84L	A80L_A83L_A84L Series	83	✓	400 x 400	2 m	42.0 kg
XR-77A84L	A80L_A83L_A84L Series	77	✓	300 x 300	2 m	34.8 kg
XR-65A84L	A80L_A83L_A84L Series	65	✓	300 x 300	1.5 m	23.3 kg
XR-55A84L	A80L_A83L_A84L Series	55	✓	300 x 300	1.5 m	17.9 kg
XR-77A83L	A80L_A83L_A84L Series	77	✓	300 x 300	2 m	34.8 kg
XR-65A83L	A80L_A83L_A84L Series	65	✓	300 x 300	1.5 m	23.3 kg
XR-55A83L	A80L_A83L_A84L Series	55	$\checkmark$	300 x 300	1.5 m	17.9 kg
XR-83A80L	A80L_A83L_A84L Series	83	✓	400 x 400	2 m	42.0 kg
XR-77A80L	A80L_A83L_A84L Series	77	1	300 x 300	2 m	34.8 kg
XR-65A80L	A80L_A83L_A84L Series	65	✓	300 x 300	1.5 m	23.3 kg

XR-55A80L	A80L_A83L_A84L Series	55	√	300 x 300	1.5 m	17.9 kg
XR-85X95L	X95L Series	85	$\checkmark$	400 x 400	1.5 m	51.8 kg
XR-75X95L	X95L Series	75	✓	300 x 300	1.5 m	42.2 kg
XR-65X95L	X95L Series	65	✓	300 x 300	1.5 m	32.2 kg
XR-98X90L	X90L Series	98	-	600 x 400	2 m	67.2 kg
XR-85X90L	X90L Series	85	$\checkmark$	400 x 400	1.5 m	44.5 kg
XR-75X90L	X90L Series	75	√	300 x 300	1.5 m	35.4 kg
XR-65X90L	X90L Series	65	✓ ✓	300 x 300	1.5 m	24.2 kg
XILUGXBUL				300 X 300	1.5 m	24.2 Ng

XR-55X90L	X90L Series	55	$\checkmark$	300 x 300	1.5 m	16.9 kg
KD-75X85L	X85L Series	75	$\checkmark$	300 x 300	1.5 m	34.3 kg
KD-65X85L	X85L Series	65	$\checkmark$	300 x 300	1.5 m	23.6 kg
KD-55X85L	X85L Series	55	$\checkmark$	300 x 300	1.5 m	16.3 kg
KD-85X80L	X80L Series	85	$\checkmark$	400 x 400	1.5 m	45.8 kg
KD-75X80L	X80L Series	75	$\checkmark$	300 x 300	1.5 m	32.2 kg
KD-65X80L	X80L Series	65	$\checkmark$	300 x 300	1.5 m	21.7 kg
KD-55X80L	X80L Series	55	$\checkmark$	300 x 300	1.5 m	15.9 kg
KD-50X80L	X80L Series	50	-	200 x 200	1.5 m	12.4 kg
KD-43X80L	X80L Series	43	-	200 x 200	1.5 m	10.1 kg
KD-75X75WL	X75WL Series	75	$\checkmark$	300 x 300	1.5 m	30.4 kg
KD-65X75WL	X75WL Series	65	$\checkmark$	300 x 300	1.5 m	20.4 kg
KD-55X75WL	X75WL Series	55	$\checkmark$	300 x 300	1.5 m	15.3 kg
KD-50X75WL	X75WL Series	50	-	200 x 200	1.5 m	12.1 kg
KD-43X75WL	X75WL Series	43	-	200 x 200	1.5 m	9.3 kg

\*1 Use of the rear terminal will be limited depending on the wall mounting style. Refer to the Installation instructions (Wall-Mount Bracket) for the TV. \*2 Use of the terminals may be limited depending on usage of the TV.

About the Strength of Walls

The wall where the display is attached must have a strength that can withstand 4 times (6 times in some models) the mass of the display. For more details about the required strength of the wall, please refer to the **Installation Information (Wall-Mount Bracket)** on your TV model page.

If the wall strength is insufficient, reinforce it sufficiently. As for the reinforcement of the wall, consult a Sony dealer or a licensed contractor.

## **About Screws**

When attaching the **Wall-Mount Bracket** to the TV, use screws supplied with the **Wall-Mount Bracket**. The supplied screws are set with a length of 8 mm to 12 mm from the attachment surface of the **Wall-Mount Bracket** (thread diameter and screw length are different depending on the Wall-Mount Bracket).

If you use substitute items other than the supplied screws, the TV may fall and cause bodily injury to someone or damage to the internal parts of the TV. For details about the screws, refer to the Installation instructions (Wall-Mount Bracket) for the TV or Operating Instructions or Reference Guide for the TV.