To see the compatibility chart

- **The screw hole distance measurements: Width x Height expressed in mm**

  Note: This diagram shows the rear side of a BRAVIA TV.



  - A: W (width)
  - B: H (height)
  - C: Screw holes

  Notes:

  -
  - In some models of BRAVIA TV, the screw hole distance measurements (W x H) conform to the VESA Mount Standard, but the number and depth of the screw holes do not.
  - Sony cannot guarantee the use of a third party wall mount bracket to mount the BRAVIA TV.
  - For more detailed information and precautions about wall mounting, see the manuals that come with the TV and wall mount bracket.

- **AC Power adapter size: Width x Height x Depth expressed in mm**

  An AC Power adapter comes with some models. The diagram shows the **AC Power adapter size compatibilities (W x H x D)** in the **Compatibility chart**.

  - A: W (width)
  - B: H (height)
  - C: D (depth)
- **About the Strength of Walls**

  The wall where the display is attached must have a strength that can withstand 4 times (6 times in some models) the mass of the display. For more details about the required strength of the wall, please refer to the **Installation Information (Wall-Mount Bracket)** on your TV model page.

  If the wall strength is insufficient, reinforce it sufficiently. As for the reinforcement of the wall, consult a Sony dealer or a licensed contractor.
- **About Screws**

  When attaching the **Wall-Mount Bracket** to the TV, use screws with a length of 8 mm to 12 mm from the attachment surface of the **Wall-Mount Bracket** (thread diameter and screw length are different depending on the Wall-Mount Bracket).

  If you use substitute items other than the above screws, the TV may fall and cause bodily injury to someone or damage to the internal parts of the TV.

  For details about the screws, refer to the **Installation instructions (Wall-Mount Bracket)** for the TV.

Compatibility chart

Note: Depending on the country and region, the Wall-mount Bracket of availability may differ.

2023 models

Model Name	Series Name	Inches	Compatible Wall-Mount Bracket	Screw hole size (W x H) mm	Length of power cord (mains lead)	Weight of TV without Stand
XR-77A95L	A95L Series	77	SU-WL450 *1 SU-WL850	300 x 300	1.5 m	35.2 kg
XR-65A95L	A95L Series	65	SU-WL450 *1 (Except India) SU-WL850 (Except India)	300 x 300	1.5 m	23.4 kg
XR-55A95L	A95L Series	55	SU-WL450 *1 (Except India) SU-WL850 (Except India)	300 x 300	1.5 m	17.6 kg
XRM-77A95L	A95L Series	77	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	35.2 kg
XRM-65A95L	A95L Series	65	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	23.4 kg
XRM-55A95L	A95L Series	55	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	17.6 kg
XR-83A80L	A80L Series	83	SU-WL450 *1	400 x 400	2 m	42.0 kg
XR-77A80L	A80L Series	77	SU-WL450 *1 (Except India) SU-WL850 *2 (Except India)	300 x 300	2 m	34.8 kg
XR-65A80L	A80L Series	65	SU-WL450 *1 (Except India) SU-WL850 *2 (Except India)	300 x 300	1.5 m	23.3 kg
XR-55A80L	A80L Series	55	SU-WL450 *1 (Except India) SU-WL850 *2 (Except India)	300 x 300	1.5 m	17.9 kg
XRM-65A80L	A80L Series	65	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	23.3 kg

XRM-55A80L	A80L Series	55	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	17.9 kg
XR-85X95L	X95L Series	85	SU-WL450 *1 (Except India)	400 x 400	1.5 m	51.8 kg
XR-75X95L	X95L Series	75	SU-WL450 *1	300 x 300	1.5 m	42.2 kg
XR-65X95L	X95L Series	65	SU-WL450 *1 SU-WL850	300 x 300	1.5 m	32.2 kg
XRM-85X95L	X95L Series	85	SU-WL450 *1	400 x 400	1.5 m	51.8 kg
XRM-75X95L	X95L Series	75	SU-WL450 *1	300 x 300	1.5 m	42.2 kg
XRM-65X95L	X95L Series	65	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	32.2 kg
X90L Series	XR-98X90L	98	-	600 x 400 mm	2 m	67.2 kg
X90L Series	XR-85X90L	85	SU-WL450 *1	400 x 400	1.5 m	44.5 kg
X90L Series	XR-75X90L	75	SU-WL450 *1 (Except India) SU-WL850 *2 (Except India)	300 x 300	1.5 m	35.4 kg
X90L Series	XR-65X90L	65	SU-WL450 *1 (Except India) SU-WL850 *2 (Except India)	300 x 300	1.5 m	24.2 kg
X90L Series	XR-55X90L	55	SU-WL450 *1 (Except India) SU-WL850 *2 (Except India)	300 x 300	1.5 m	16.9 kg
X90L Series	XRM-85X90L	85	SU-WL450 *1	400 x 400	1.5 m	44.5 kg
X90L Series	XRM-75X90L	75	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	35.4 kg

X90L Series	XRM-65X90L	65	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	24.2 kg
X90L Series	XRM-55X90L	55	SU-WL450 *1	400 x 400	1.5 m	16.9 kg
X85L Series	KD-75X85L	75	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	34.3 kg
X85L Series	KD-65X85L	65	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	23.6 kg
X85L Series	KD-55X85L	55	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	16.3 kg
X85BL Series	KD-65X85BL	65	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	23.6 kg
X85L Series	KM-75X85L	75	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	34.3 kg
X85L Series	KM-65X85L	65	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	23.6 kg
X85L Series	KM-55X85L	55	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	16.3 kg
X82L Series	KD-75X82L	75	-	300 x 300	1.5 m	32.2 kg
X82L Series	KD-65X82L	65	-	300 x 300	1.5 m	21.7 kg
X82L Series	KD-55X82L	55	-	300 x 300	1.5 m	15.9 kg
X80L Series	KD-85X80L	85	SU-WL450 *1 (Except India)	400 x 400	1.5 m	45.8 kg
X80L Series	KD-65X80L	65	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	21.7 kg

X80L Series	KD-55X80L	55	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	15.9 kg
X80L Series	KD-50X80L	50	SU-WL450 *1 (Except India)	200 x 200	1.5 m	12.4 kg
X80L Series	KD-43X80L	43	SU-WL450 *1 (Except India)	200 x 200	1.5 m	10.1 kg
X80L Series	KM-85X80L	85	SU-WL450 *1	400 x 400	1.5 m	45.8 kg
X80L Series	KM-75X80L	75	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	32.2 kg
X80L Series	KM-65X80L	65	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	21.7 kg
X80L Series	KM-55X80L	55	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	15.9 kg
X80L Series	KM-50X80L	50	SU-WL450 *1	200 x 200	1.5 m	12.4 kg
X80L Series	KM-43X80L	43	SU-WL450 *1	200 x 200	1.5 m	10.1 kg
X81BL Series	KD-85X81BL	85	SU-WL450 *1	400 x 400	1.5 m	45.8 kg
X81BL Series	KD-75X81BL	75	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	32.2 kg
X81BL Series	KD-65X81BL	65	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	21.7 kg
X81BL Series	KD-55X81BL	55	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	15.9 kg
X78L Series	KD-75X78AL	75	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	30.4 kg
X78L Series	KD-65X78AL	65	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	20.4 kg

X78L Series	KD-55X78AL	55	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	15.3 kg
X77L Series	KD-75X77L	75	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	30.4 kg
X77L Series	KD-65X77L	65	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	20.4 kg
X77L Series	KD-55X77L	55	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	15.3 kg
X77L Series	KD-50X77L	50	SU-WL450 *1	200 x 200	1.5 m	12.1 kg
X77L Series	KD-43X77L	43	SU-WL450 *1	200 x 200	1.5 m	9.3 kg
X75WL Series	KD-75X75WL	75	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	30.4 kg
X75WL Series	KD-65X75WL	65	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	20.4 kg
X75WL Series	KD-55X75WL	55	SU-WL450 *1 SU-WL850 *2	300 x 300	1.5 m	15.3 kg
X75WL Series	KD-50X75WL	50	SU-WL450 *1	200 x 200	1.5 m	12.1 kg
X75WL Series	KD-43X75WL	43	SU-WL450 *1	200 x 200	1.5 m	9.3 kg
X75L Series	KD-65X75L	65	-	400 x 200	1.5 m	21.4 kg
X75L Series	KD-55X75L	55	-	400 x 200	1.5 m	13.9 kg
X75L Series	KD-50X75L	50	-	300 x 200	**DC Cable length of AC adapter** 1.5 m **Length of AC Power Cord** 1.5 m	9.8 kg

					AC Power adapter size (W x H x D) (158 x 70.5 x 35), (155 x 67 x 36.5)	
X75L Series	KD-43X75L	43	-	200 x 200	**DC Cable length of AC adapter** 1.5 m **Length of AC Power Cord** 1.5 m **AC Power adapter size (W x H x D)** (158 x 70.5 x 35), (155 x 67 x 36.5)	7.8 kg
X74L Series	KD-65X74L	65	-	400 x 200	1.5 m	21.4kg
X74L Series	KD-55X74L	55	-	400 x 200	1.5 m	13.9kg
X70L Series	KD-50X70L	50	-	300 x 200	**DC Cable length of AC adapter** 1.5 m **Length of AC Power Cord** 1.5 m **AC Power adapter size (W x H x D)** (158 x 70.5 x 35), (155 x 67 x 36.5)	9.8 kg
X70L Series	KD-43X70L	43	-	200 x 200	**DC Cable length of AC adapter** 1.5 m **Length of AC Power Cord** 1.5 m **AC Power adapter size (W x H x D)** (158 x 70.5 x 35), (155 x 67 x 36.5)	7.8 kg
X64L Series	KD-50X64L	50	-	300 x 200	**DC Cable length of AC adapter** 1.5 m **Length of AC Power Cord** 1.5 m **AC Power adapter size (W x H x D)** (158 x 70.5 x 35), (155 x 67 x 36.5)	9.8 kg
X64L Series	KD-43X64L	43	-	200 x 200	**DC Cable length of AC adapter** 1.5 m **Length of AC Power Cord** 1.5 m	7.8 kg

					AC Power adapter size (W x H x D) (158 x 70.5 x 35), (155 x 67 x 36.5)	
W8xxL Series	KD-32W830L	32	SU-WL450 *1	100 x 100	**DC Cable length of AC adapter** 1.5 m **Length of AC Power Cord** 0.5 m **AC Power adapter size (W x H x D)** (143 x 54 x 31), (133 x 58 x 31) or (140 x 63 x 30.6)	4.8 kg

- *1 Use of the rear terminal will be limited depending on the wall mounting style. Refer to the Installation instructions (Wall-Mount Bracket) for the TV.
- *2 Use of the terminals may be limited depending on usage of the TV.